## **CLAIMS**

What is claimed is:

1	1. A method of accessing data through an independent intermediary			
2	mechanism (IIM), the method comprising:			
3	displaying a frame including a user interface of the IIM, the frame framing			
4	a destination server display area (DSDA);			
5	retrieving destination server data (DS data) for display from a destination			
6	server;			
7	maintaining a history list of past addresses of destination servers visited			
8	by the user.			
1	2. The method of claim 1, further comprising:			
2	permitting access to the history list through the user interface.			
1	3. A method of accessing data through an independent intermediary			
2	mechanism (IIM), the method comprising:			
3	displaying a frame including a user interface of the IIM, the frame framing			
4	a destination server display area (DSDA);			
5	displaying a homepage to the user, when the user initially connects to the			
6	IIM;			
7	permitting the user to access a destination server from the IIM; and			
8	retrieving destination server data (DS data) for display from a destination			
9	server.			
1	4. The method of claim 3, further comprising:			

2

the user selecting a page as the homepage.

1		5.	A method of accessing data through an independent intermediary		
2	mechanism (IIM), the method comprising:				
3	displaying a frame including a user interface of the IIM, the frame framing				
4	a destination server display area (DSDA);				
5		retrie	ving destination server data (DS data) for display from a destination		
6	server	server;			
7		maint	taining an account list for the user, the account list permitting one-		
8 key log-in into a plurality of accounts on the account list.					
1		6.	The method of claim 5, further comprising:		
2		displa	aying the account list in response to a display request; and		
3	9-	loggii	ng on to an account automatically when the account is selected.		
1		7.	The method of claim 6, further comprising:		
2		displa	aying an account edit screen in response to an account edit request;		
3	and				
4		addir	ng a new account, including an account location, an account log-in		
5 name, and an account password; and		n account password; and			
6		displa	aying the new account on the account list.		
1 V 5 V	), \	8.	\A method comprising:		
2 1	By C	acces	sing a destination server through an independent intermediary		
3	mechanism (IIM), and				
4	accessing a destination server site including a form;				
5 receiving a request to fill in the		receiv	ring a request to fill in the form; and		
6		filling	g in the form from a database in the IIM.		
1		9.	The method of claim 8, wherein the step of filling in the form		
2	comprises:				

3	determining if the user has a transaction record including the form; and	
4	if the user has a transaction record including the form, filling in the form	
5	from the transaction database.	
1	10. The method of claim 9, further comprising:	
2	determining if the user has changed an item in a user profile that is used	
3	in the form; and	
4	if the user has changed data, filling in the item from the user profile.	
1	11. The method of claim 10, wherein said step of determining	
2	comprises:	
3	comparing a date of the transaction record with a date of changes in the	
4	user profile; and	
5	if the date of the transaction record is older, determining if the changes in	
6	the user profile are of a relevant record.	
1	12. The method of claim 8, wherein said step of filling in the form	
2	comprises:	
3	determining if the form is in the form database; and	
4	if the form is in the form database, filling in the form based on information	
5	in the user profile.	
1	13. The method of claim 12, wherein the forms database includes a	
2	plurality of forms, such that locations in the form mapped into elements in the	
3	user profile.	
1	14. The method of claim 12, wherein the forms database comprises	
2	multiple databases, at least one of the databases being centrally maintained.	

1	15. The method of claim 12, further comprising the step of adding new		
2	forms to the form database, wherein the step of adding new form comprises:		
3	opening a new form at a new address;		
4	associating form control identifiers in the new form with labels from a		
5	user profile database; and		
6	storing the new form, the new address, and the associated form control		
7	identifiers in the forms database.		
1	16. The method of claim 12, wherein the form database is maintained		
2	in a central location, and administered by an authorized updater, such that an		
3	IIM updates an internal form database from the central location.		
1	17. The method of claim 8, wherein the step of filling in the form		
2	comprises:		
3	determining if the form is in a transaction database,		
4	if the form is in the transaction database, filling in the form based on		
5	information in the transaction database;		
6	if the form is not in the transaction database, determining if the form is in		
7	a form database,		
8	if the form is in the form database, filling in the form based on information		
9	in the form database and in a user profile; and		
10	if the form is not in the form database, matching entries in the user profile		
11	to form control identifiers in the form, and filling in the form based on the		
12	information from the user profile.		
1	18. A method comprising:		
2	accessing a destination server through an independent intermediary		
3	mechanism (IIM): and		

4	receiving an indication to add a universal resource indicator (URI) of the		
5	destination server as a bookmark;		
6	adding the URI as a bookmark in the IIM.		
1 2	19. The method of claim 16, wherein the bookmark is located within a user database on the IIM.		
\ <sup>1</sup>	20. \ A method comprising:		
34,7	accessing a destination server through an independent intermediary		
3	mechanism (ILM); and		
4	when a user submits a form to the destination server through the IIM,		
5	recording a transaction entry in a user's transaction database; and		
6	associating submitted information and form with the transaction;		
7	wherein the transaction is available for review to the user through the IIM		
1	21. The method of claim 20, further comprising updating a form entry		
2	in a form database in the IIM, based on the form submitted by the user.		
1	22. The method of claim 20, further comprising the step of updating a		
2	user profile based on the information submitted in the form.		
1	23. The method of claim 20, further comprising:		
2	determining if the destination server replied to the submission of the		
3	information; and		
4	if the destination server replied,		
5	recording the reply; and		
6	associating the reply with the transaction.		

1	. 24	The method of claim 20, further comprising the steps of:
2	addin	g one or more of the date, time, and other information to transaction
3	record.	
1	25.	The method of claim 20, wherein the user can selectively turn on
2	and off the tr	nansaction recording facility.
1	26.	The method of claim 20, further comprising when a user accesses a
2	destination s	erver including a form,
3	·	determining if the user has a transaction record including the form;
4	and	
5		if the user has the transaction record, optionally filling in the data
6	into the form	based on the submitted information in the transaction record.
1	27.	The method of claim 26, wherein the user selects the option of
2	filling in the	data from a user interface of the IIM.
1	28.	The method of claim 20, further comprising when a user accesses a
2	destination s	server including a form,
3		determining if a form database includes the form; and
4		if the form database includes the form, optionally filling in the data
5	into the form	n based on a user profile.
1	29.	The method of claim 28, wherein the user selects the option of
2	filling in the	data from a user interface of the IIM.
1	30.	The method of claim 28, wherein the forms database includes a
2	plurality of f	forms, such that locations in the form mapped into elements in the
3	user profile	

1	31. The method of claim 21, further comprising:		
2	adding new forms to the forms database by an authorized updater.		
1	The method of claim 31, wherein the step of adding new form		
2	comprises:		
3	opening a new form at a new address;		
4	associating form control identifiers in the new form with labels from a		
5	user profile database; and		
6	storing the new form, the new address, and the associated form control		
7	7 identifiers in the forms database.		
1	33. The method of claim 31, wherein the form database is maintained		
2	in a central location, and administered by the authorized updater, such that an		
3	IIM updates an internal form database from the central location.		
1	34. The method of claim 7, further comprising:		
2	registering information when the user logs on to a new account; and		
3	adding the new account to the account list.		
1	35. The method of claim 34, wherein the user can optionally enable or		
2	disable the registering of information.		
1	36. The method of claim 34, further comprising:		
2	requesting a user response whether to add the new account to the account		
3	list, and only adding the new account to the account list if the user responds		
4	affirmatively.		

